

JUN 16 2005

● **PRINTER RUSH** ●
(PTO ASSISTANCE)

Application :	<u>10/674,407</u>	Examiner :	<u>EVANS</u>	GAU :	<u>3742</u>
From:	<u>MR</u>	Location:	<u>IDS</u> FMF FDC	Date:	<u>05-27-05</u>
Tracking #:			<u>06072951</u>	Week Date: <u>01-31-05</u>	

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input checked="" type="checkbox"/> DRW	<u>10-13-04</u>	
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input checked="" type="checkbox"/> SPEC	<u>10-13-04</u>	

[RUSH] MESSAGE: ATTN: Chief Draftsperson :

① Colored drawings for Figs. 2, 3 + 5 are provided but only 1 set is in the file, please provide 2 more sets.

② The specification does not contain a paragraph referring to colored drawings as required per 37 CFR 1.84 (a) (2) (iv).

Thank you,
MR

[XRUSH] RESPONSE: TWO ADDITIONAL SETS HAS BEEN SUPPLIED AND FORWARDED TO IDC

2) THE PARAGRAPH FOR COLOR DRAWINGS HAS BEEN INSERTED

INITIALS: JDC

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04

The other features of the present invention will be described fully in conjunction with constructions and actions described below.

BRIEF DESCRIPTION OF THE DRAWINGS


SEE
ATTACHED 

Fig. 1 is a front view showing a conventional carbon heating lamp.

Fig. 2 is a plan view showing a plan state after cutting a carbon fiber used in the conventional carbon heating lamp.

Fig. 3 is a side view showing a side surface state after cutting the carbon fiber used in:
10 the conventional carbon heating lamp.

Fig. 4 is a front view showing a carbon heating apparatus according to the present invention.

Fig. 5 is a partially enlarged perspective view showing a plan state and side surface state of the preferred carbon heater according to the present invention.

15 Fig. 6a is a plan view showing the first embodiment of terminal parts according to the present invention.

Fig. 6b is a side view showing the first embodiment of the terminal parts according to the present invention.

Fig. 6c is a front view showing the first embodiment of the terminal parts according
20 to the present invention.

Fig. 7a is a partially enlarged plan view showing the first embodiment of the terminal parts according to the present invention.

Fig. 7b is a partially enlarged front view showing the first embodiment of the

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.